

FIBERGLASS AND STEEL

DOORS



RELIABILITY for real life*



UNFADING BEAUTY

Real beauty isn't here today and gone tomorrow. It's strong, stable and always enduring. You'll discover these qualities in every JELD-WEN Fiberglass exterior door. These doors are built to last and are designed with the look of real wood. You can count on them to enhance your home for many years. Because at JELD-WEN, we always make beauty reliable.

Sr

St

G

In Sy Pr

D

Int	roduction	
Do	or Overviews	
	Architectural Fiberglass doors	
	FiberLast [™] Fiberglass doors	5
	Design-Pro Fiberglass doors	
	Smooth-Pro Fiberglass doors	
	Steel doors (24-and 25-gauge doors)	
Ch	oosing your door system	7
Arc	hitectural Fiberglass doors	
	Architectural Fiberglass door designs	
	Craftsman Fiberglass door designs	
	Scarlett (SL)	
	Paris (PS)	
	Monterey (MO)	
	Oak Park (KP)	
	Madison (MI)	
	Prairie Bevel (PR)	
	Beveled Elegance (BE)	13
	Clear Glass (CL)	
	Rain Glass (RN)	
	Glue Chip Glass (DGC)	
	Micro-Granite Glass (MG)	14
	Plank Fiberglass door designs	15
	Architectural Fiberglass doors with decorative glass	16-29
	Aragon (AG)	
	Linden (LD)	
	Providence (PC)	
	Monticello (MT)	
	Bellview (BV)	
	Castile (CS)	
	Harrington (HR)	
	Alvarado (AL)	
Gla	ss Options and Availability Matrix	30-33
	erLast Fiberglass doors	
N	FiberLast Fiberglass door designs	34-37
	FiberLast Fiberglass doors with decorative glass	
	Impressions (LI)	
	Corvina (CV)	
	Catalina (CA)	39
	Tripoli (TP)	40
	Interpretations (IT)	
	Beveled Elegance (BE)	
	Entropy (EN)	
	Avalon (AN)	
De	sign-Pro Fiberglass doors	
	Design-Pro Fiberglass door designs	44-49
	Design-Pro Fiberglass doors with decorative glass	
	Paris (PS)	50
	Veranda (VR)	
	Mediterranean (MD)	

Expressions (EX)	
Legacy Master (LM)	58
Escapades (EP)	60
Oak Park (KP)	
Nouveau (MN)	64
Allure (AR)	
Blinds, tan (TRLB)	
Clear Simulated Divided Lites (SDL)	68
nooth-Pro Fiberglass doors	
Smooth-Pro Fiberglass door designs	
Smooth-Pro Fiberglass doors with decorative glass	
Cadence (CD)	74
Cirrus (CR)	
Silhouettes (SI)	
Prairie Bevel (PR)	
Jacinto (JA)	
Heirlooms (HM)	
Bristol (BT)	
Avant (AV)	
eel doors	34.41 Materia
Steel door designs	
Steel doors with decorative glass	
Radiant Hues (RA)	
Madison (MI)	
Teton (TE)	
Monterey (MO)	
Quiet Elegance (QE)	
Majestic (ME)	
Cut Crystal (CC)	
Simplicity	
Triple Glazed Blinds (BLD)	
Triple Glazed Blinds with grilles (CGBGBLD)	
Blinds between the glass (RLB)	
Vents	93
illes between the glass and clear doorglass	
pact and Coastal Rated Doors	
stem information	
eserving Craftsmanship	
por Specifications	101-105
arranty	106-107

2



JELD-WEN Exterior Doors | Fiberglass | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. They are designed to meet ENERGY STAR[®] requirements for 2010*; and are reliable and worry-free. We also offer the full breadth of steel doors in 24-gauge and 25-gauge steel door designs.



Architectural | Fiberglass

It's all about the details. These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic.

- » Mahogany woodgrain designs with raised moulding
- » Oak woodgrain designs with detailed panel profiles
- » Mahogany woodgrain doors feature new hardwood edge and improved graining for a genuine wood appearance
- » Energy efficient core
- » Beautiful glass inserts in a wide variety of styles
- » Available in 6'8" and 8'0" heights. Please check for availability

LIFETIME LIMITED WARRANTY







FiberLast[™] | Fiberglass*

The first fiberglass door that combines durability, energy efficiency and recycled content.

Eco-Friendly Aspects

- » 35% recycled content with blend of fiberglass and wood fibers
- » Meets 2010 ENERGY STAR® requirements**

Durable

- » Dent and weather resistant
- » More stable under extreme heat and cold than standard fiberglass or steel doors

Beautiful

» Choose smooth or woodgrain white for painting, or woodgrain tan for staining





- * Patent pending
- ** Energy performance ratings will vary with glass selection





DEFINING CHOICES

Design-Pro | Fiberglass

- » The look of wood with low-maintenance in mind
- » Energy efficient core
- » Composite capped edges for enhanced protection against harsh weather conditions
- » Wide selection of glass inserts
- » Available in 6'8" and 8'0" heights. Please check for availability







Smooth-Pro | Fiberglass

- » Smooth fiberglass with high definition panels
- » Energy efficient core
- » Composite capped stiles and rails for enhanced protection against harsh weather conditions
- » Available in 6'8" and 8'0". Please check for availability



24-Gauge and 25-Gauge | Steel

- » Designed for strength, durability and protection
- » Galvanized steel with baked on enamel primer for easier finishing
- » Energy efficient core
- » Optional 22-gauge steel edge construction for added durability and fire ratings up to 90-minutes (for true fire protection, doors must be used with a certified door frame, hardware and components)





Beyond their clean design | JELD-WEN® exterior doors include many qualities that make them a beautiful choice. They're enduring. They're energy efficient. And they're perfectly low-maintenance. Options like decorative glass or blinds between the glass offer everyday beauty and convenience. Add sidelights or a transom to create your unique entry door system. Here are a few standard system configurations to choose from:











Single Door

with Transom









Single Door

Single Door with Sidelight

Single Door with two Sidelights

ПП

Single Door with Sidelights and Transom

Double Doors

Double Doors with Sidelights



Choose Door Type

Fiberglass

Fiberglass doors give the look of wood without the upkeep. They won't dent, warp, rust or rot and resist shrinking and swelling.





Smooth

FiberLast[™]**Fiberglass**

Environmentally friendly doors. The durability and low-maintenance of fiberglass with eco-friendly aspects because of their recycled content.



Steel Doors

Select steel exterior doors as an affordable, low-maintenance choice. They provide strength and energy efficiency.




Smooth-Pro



Choose Door Panel Style

Personalize your home with a door that suits your home's architecture. Add sidelights or a transom for the entry of your dreams. Here are just a few options.



Select your Doorglass

Decorative doorglass will brighten your entryway without compromising privacy. Choose from any of the featured glass designs on the following pages. Please refer to the matrix on pages 32-33 for the complete list of glass options by door type.











Glass privacy ratings help you choose the right level of opacity for your home.





These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. | For example, flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs compliment Old World home styles. And the distinctive look of our Mahogany woodgrain designs with raised moulding will enhance any home. Only JELD-WEN[®] offers so many fiberglass door designs and options.



AC Architectural Craftsman





AM-826 Full View 3'0" x 6'8"



AM-828 3/4 View 3'0" x 6'8"



AM-30 3-Panel 3'0" x 6'8"



AM-949 3-Panel with 3/4 Oval 3'0" x 6'8"



AM-40 4-Panel Bottom Arch 3'0" x 6'8"



AM-60 6-Panel 3'0" x 6'8"



AM8-826 8'0" 3/4 View 3'0" x 8'0"



AM8-40 8'0" 4-Panel Bottom Arch 3'0" x 8'0"



AM8-60 8'0" 6-Panel 3'0" x 8'0" 3'6" x 8'0"



AM-560 Full View SL 1'0" x 6'8" 1'2" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"



AM8-562 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



ARCHITECTURAL | OAK WOODGRAIN

Architectural Door Construction



AO-826 Full View 3'0" x 6'8"



AO-828 3/4 View 3'0" x 6'8"



AO-827 1/2 View 3'0" x 6'8"



AO-60 6-Panel 3'0" x 6'8"



AO-560 Full View SL 1'0" x 6'8" 1'2" x 6'8"

AO-564 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



1'0" x 6'8" 1'2" x 6'8"



- A. Raised moulding (Mahogany)
- B. Energy efficient core
- C. Composite bottom rail
- D. LVL stiles
- E. Edge band



- » 1-3/4" door
- » LVL top and bottom rails
- » 4" LVL stiles and edge band
- » New hardwood edge for Mahogany; composite edge for Oak
- » Energy efficient core
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.





ARCHITECTURAL | CRAFTSMAN

Scarlett			Paris		
	4444444			「「「「」」	
3'0" x 6'8"	AC-819SL 1'0" x 6'8"	AC-814SL 3'0" x 6'8"	AC-816PS 3'0" x 6'8"	AC-819PS 1'0" x 6'8"	AC-814P5 3'0" x 6'8"
Privacy Rating 7	1'2" x 6'8" Patina	Scarlett » Clear Soft Wave Glass » Ruby Red Soft Wave Glass » Olive Soft Wave Glass » Yellow Swirl Glass » Micro-Iced Granite Glass	Transoms		Paris » Clear Bevels » Arctic Glass » Clear Renaissance Glass Rating 6 • • • • • • • • • • • • • • • • • • •
Monterey			Oak Park		
Monterey			Oak Park		
Ас-816МО 3'0" x 6'8"	Ac-819MO	Ас-ваноо з''0" x 6'8"	Ас-816КР 3'0" x 6'8"	AC-819KP	Ac-s14кР 3'0" x 6'8"
Ас-816МО 3'0" x 6'8"		3'0" x 6'8" Monterey » Clear Bevels » Granite Glass » Micro-Granite Glass	Ас-816КР 3'0" x 6'8"	1'0" x 6'8" 1'2" x 6'8" Patina	

ARCHITECTURAL | *CRAFTSMAN*

Madison

AC-816MI

3'0" x 6'8"



AC-814MI 3'0" x 6'8"





10

Prairie Bevel



AC-816PR 3'0" x 6'8"

Transoms



AC-814PR 3'0" x 6'8"

AC-819PR

1'0" x 6'8" 1'2" x 6'8"


Patina

Prairie Bevel

» Clear Bevels

» Thin Reed Glass

» Eaton Glass Privacy Rating | 8



See page 76 for transom sizes





AC-819MI

10




Rectangular | Patina | 506PR | 507PR



Note: Craftsman doors shown with optional shelf. AC = Architectural Mahogany Craftsman



ARCHITECTURAL | CRAFTSMAN





AC-815MG* 3'0" x 6'8"

 Ac-819MG
 Ac-817MG*

 1'0" x 6'8"
 3'0" x 6'8"

 1'2" x 6'8"
 3'0" x 6'8"

0

AC-818MG* 3'0" x 6'8"

10



Rain Glass (RN)

* Models 815, 817 and 818 are simulated divided lites. Double Glue Chip Glass (DGC)



Micro-Granite Glass (MG)

14 JELD-WEN.COM

ARCHITECTURAL | PLANK








AP-24 3'0" x 6'8"



AP8-24 3'0" x 8'0" 3'6" x 8'0"









ARCHITECTURAL | ARAGON (AG)

Architectural Mahogany



AM-826AG Full View 3'0" x 6'8"

AM-560AG Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-564AG 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available in 3'0" x 8'0" AM8-826AG

3/4 View

3'0" x 6'8"






Oil-Rubbed

Bronze

Aragon

- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels

Privacy Rating | 7



Transoms



Rectangular | Oil-Rubbed Bronze | 521AG (Fits above 3'-0" door w/ (2) 12" sidelights) 13-1/2" frame height

Architectural Oak



A0-826AG

Full View

3'0" x 6'8"

A0-560AG Full View SL 1'0" x 6'8" 1'2" x 6'8"



A0-828AG 3/4 View 3'0" x 6'8"



ARCHITECTURAL | LINDEN (LD)

Architectural Mahogany



AM-826LD Full View 3'0" x 6'8"

AM-560LD Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828LD 3/4 View 3'0" x 6'8"

AM-564LD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available in 3'0" x 8'0" AM8-826LD






Linden

- » Clear Bevels
- » Red Crystals
- » Gray Soft Wave Glass
- » Micro-Granite Glass

Privacy Rating | 8



Transoms



Segment | Satin Nickel | 532LD (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Oak



A0-826LD Full View 3'0" x 6'8"



Full View SL 1'0" x 6'8" 1'2" x 6'8"



3/4 View 3'0" x 6'8"

A0-564LD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



W





Providence

- » Clear Bevels
- » Clear Jewels
- » Granite Glass
- » Dark Amber Soft Wave Glass
- » Thin Reed Glass

Privacy Rating | 9



Transoms



Rectangular | Satin Nickel | 521PC (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany





AM-826PC Full View 3'0" x 6'8"

AM-560PC Full View SL 1'0" x 6'8" 1'2" x 6'8"

AM-563PC 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AM-828PC 3/4 View 3'0" x 6'8"



8'0" 3/4 View 3'0" x 8'0"

AM8-562PC 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826PC Full View 3'0" x 6'8"



Full View SL 1'0" x 6'8" 1'2" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-828PC 3/4 View 3'0" x 6'8"




AO-827PC 1/2 View 3'0" x 6'8"

AO-563PC 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



19





Monticello » Arctic Glass

Privacy Rating | 9

⊢ 0



Transoms



() 10

Half Round | Wrought Iron | 516MT (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Wrought Iron | 521MT (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany





AM-560MT Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828MT 3/4 View 3'0" x 6'8"

AM-564MT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM8-826MT 8'0" 3/4 View 3'0" x 8'0"

AM8-562MT 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826MT Full View 3'0" x 6'8"





AO-828MT 3/4 View 3'0" x 6'8"

AO-564MT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



21





Bellview

- » Clear Bevels
- » Granite Glass
- » Hammered Glass

Privacy Rating | 7



Transoms



Half Round | Patina | 516BV (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

Architectural Mahogany





AM-560BV Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828BV 3/4 View 3'0" x 6'8"

AM-564BV

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"



AM-949BV 3-Panel with 3/4 Oval 3'0" x 6'8"

AM-563BV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826BV Full View 3'0" x 6'8"





AO-828BV 3/4 View 3'0" x 6'8"



AO-827BV 1/2 View 3'0" x 6'8"


3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-563BV 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

AM8-562BV








Castile

- » Clear Bevels
- » Brown Bevels
- » Clear Jewels
- » Iced Granite Glass
- » Micro-Iced Granite Glass

Privacy Rating | 7



Transoms



Half Round | Brass | 516CS (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass | 521CS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany







AM-826CS Full View 3'0" x 6'8"

AM-560CS 3/4 View 3'0" x 6'8" Full View SL 1'0" x 6'8" 1'2" x 6'8"

AM-564CS 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM-949CS 3-Panel with 3/4 Oval 3'0" x 6'8"

AM-563CS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

AM8-826CS 8'0" 3/4 View 3'0" x 8'0"

AM8-562CS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826CS Full View 3'0" x 6'8"

AO-560CS

Full View SL 1'0" x 6'8" 1'2" x 6'8"



AO-828CS 3/4 View 3'0" x 6'8"



AO-827CS 1/2 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-563CS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



25






Harrington

- » Clear Bevels
- » Iced Granite Glass
- » Frosted Glass

Privacy Rating | 9



Transoms



Half Round | Satin Nickel | 516HR (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Elliptical | Satin Nickel | 578HR (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Satin Nickel

Architectural Mahogany



Full View

3'0" x 6'8"





AM-564HR

3/4 View SL

3'0" x 6'8"

1'0" x 6'8" 1'2" x 6'8"

AM-828HR 3/4 View 3'0" x 6'8"

Full View SL

1'0" x 6'8" 1'2" x 6'8"



3-Panel with 3/4 Oval

AM-563HR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

AM8-826HR 8'0" 3/4 View 3'0" x 8'0"

AM8-562HR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

ARCHITECTURAL

Architectural Oak



AO-826HR Full View 3'0" x 6'8"



Full View SL 1'0" x 6'8" 1'2" x 6'8"



AO-828HR 3/4 View 3'0" x 6'8"



AO-564HR AO-827HR 3/4 View SL 1/2 View 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8"



AO-563HR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"






Alvarado

- » Clear Bevels
- » Clear Jewels
- » Granite Glass
- » Chinchilla Glass
- » Micro-Granite Glass

Privacy Rating | 7



Transoms



Segment | Black Chrome | 532AL (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Black Chrome | 521AL (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Black Chrome

Architectural Mahogany





AM-560AL Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828AL 3/4 View 3'0" x 6'8"

AM-564AL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM8-826AL 8'0" 3/4 View 3'0" x 8'0" **AM8-562AL** 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826AL Full View 3'0" x 6'8"





AO-828AL 3/4 View 3'0" x 6'8"

AO-564AL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"




29

GLASS OPTIONS

Handcrafted decorative doorglass adds beauty and mystique to your door. | Our enduring designs serve as a focal point for your home, a reflection of your personal style, and a bridge between you and the world outside. These beautiful glass designs are sure to meet any architectural or design need. We even offer products such as blinds between the glass.

The glass options shown on pages 38-97 are available in either FiberLast^{**}, Design-Pro Oak, Design-Pro Mahogany, and Smooth-Pro fiberglass doors depending upon the door style selected. The same glass options may also be available with our 24-gauge steel or 25-gauge steel doors. Please refer to the availability matrix on pages 32-33.



DO Design-Pro Oak **684** Glass size **TP** Glass design





GLASS OPTIONS

The below chart is designed to give you a quick overview of our door and glass offering. Please refer to the specifications pages for our complete door offering, or to the glass pages below for more information on the glass.

	Door Style	Full View	Full View 8'0"	Full Oval	3/4 View 2-Panel	3/4 View 1-Panel	3/4 Oval	1/2 View 2-Panel		
	Glass Opening	686	612	919	607A	607	949	684		
	Door Brand	DO DM SP FL FW FK ES FS GD	DO DM SP FL FW FK ES C	DO DM SP FL ES FS GD	DO DO SP CT FS GD	SP DM	DO DO SP CT FS GD	DOSPFLFWFKCTESFSGD		
Glass Family	PG#									
Paris	50	~	~		<i>v</i>	<i>v</i>	—	—		
Madison	87	~	~	_	~	~	—	—		
Oak Park	62	~	V	—	~	~	_	~		
Prairie Bevel	76	~	_	—	~	~	_	~		
Beveled Elegance	41	~	_	_	—	_	_	_		
Veranda	52	~	~	—	~	~	_	_		
Mediterranean	54	~	~	—	~	~	_	—		
Expressions	56	~	~	~	~	~	_	~		
Legacy Master	58	~	~		~	<u>ب</u>	~	~		
Allure	66	V	~	—	—	—	—	—		
Escapades	60	V			V	V		V		
Nouveau	64 74	~ ~		<i>v</i>	<i>v</i> <i>v</i>	<i>v</i>	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	V		
Cadence Cirrus	74 75		· · · · · · · · · · · · · · · · · · ·		-		- V	_		
Silhouettes	75	· ·	· ·				_			
Avant	82	· ·	~		~			~		
Jacinto	77	~	~		~	~	_	_		
Heirlooms	78	~	~	~	~	~	~	~		
Bristol	80	~	~	_	~	~	~	~		
Entropy	42	~	~	_	_	_	_	_		
Interpretations	41	~	_	~	_	_	_	_		
Impressions	38	~	~	_	_	_	~	~		
Catalina	39	~	~	_	_	_	_	_		
Corvina	39	~	_	_	~	~	~	_		
Tripoli	40	~	_	~	~	~	_	~		
Teton	88	~	_	_	~	~	~	_		
Radiant Hues	86	~	~		~	~	~	~		
Majestic	91	~	~	—	~	~	—	~		
Quiet Elegance	90	~	—	~	_	_	—	~		
Cut Crystal	92	~	~	—		_	_	_		
Simplicity	92	~	_		_	_	_	~		
Monterey	89	~	_	_	~	~	_	_		
Avalon	43	~	_	_	_	_	_	~		
Blinds Between Glass	93	~	~	_	~	~	_	~		
Grilles Between Glass	94-95	v	v	_	V	~	_	~		
Vents 93		—	—	—	—	—	—	v		

DO = Design-Pro Oak	DM = Design	DM = Design-Pro Mahogany SP = S				= Smooth-Pro			FL = FiberLast Smooth FW				FW = FiberLast Woodgrain White					FK = FiberLast Woodgrain Tan				
CT = 24-Gauge Contou	rs ES = 24-Gau	ge Energy Saver	FS = 25-	S = 25-Gauge FiniShield			GL = 25-Gauge Gladiator															
																Ø						
1/2 View 1-Panel	1/2 View Round Top			Camber Top			Twin 1/2 Lite		T	Twin 3/4 Lite			Center Arch			9-Panel						
684	637	659		648			692			422			632			640						
DM	DO	DO		DO			DO						DO			DO						
	SP FL FW F	K SP FL FW	FK S	SP FL	FW	FK S	P FL					SP										
СТ	CT FS G	D CT FS	GD (СТ	FS (GD C	Т	FS GD	СТ			СТ				СТ		FS	GD			
—	_			_	_		_			~			-	_		-						
				_			_			~			-	_		_						
~					_		~			~		_			_							
~	—			-	_		~			~			-	_			-	_				
 	_	~		-	-					_			_	-			-	-				
—	—			-	_		_			—			-	_			-	_				
 _	_				-					~			_									
<i>v</i>	—			_			~			~			-	_			-	_				
~	v						~			~			-	_								
—	—			-	_		—			_		_										
<i>v</i>	_						~			~				_								
V	v	v		v	/		۲ ۲			~			-	_		 ✓ 						
	_			-		_	_		<i>✓</i>			_										
—	—								—					_								
_	_			—																		
V	—			-	-		~															
	_	-					_		_						-							
V	_	· ·		-	_		· ·		V			<i>v</i>			 ✓ 							
 	—			_			V			~												
_	_				_												_					
				-							-											
_				_			<i>v</i>		_			-										
	_			✓ 					· ·						-							
_										V												
				_			-			· · ·		-										
· ·	~ ~			_			V V			· ·		 ✓ ✓ 										
· ·	_	_		_											-							
-	_	_								_												
v	_	_			_		 ✓															
_	_	_			_																	
~	_	_			_		~			_				_								
~	—			_	_		v							_								
~	_	~		_	-		~			~			-	_		-						
v	—	-		_	_					—	-					-						



35% Recycled Content* From recycled wood fibers blended with Fiberglass.


From recycled wood fibers blended with Fiberglass. Certified by Scientific Certifications Systems for recycled content.

Supports Improved Air Quality In The Home

Meets California Air Resource Board (CARB) regulations for No Added Urea Formaldehyde (NAUF).

Saves Energy - Meets 2010 ENERGY STAR® requirements**

- * Recycled wood fiber is pre-consumer. Note recycled content percentages refer to the door slab and do not include the door frame and/or frame components.
- ** Energy performance ratings will vary with glass selection.



FiberLast fiberglass entry doors are made with a patented* technology that combines the weathering resistance and durability of fiberglass with the appearance and environmentally friendly characteristics of wood fibers.

In addition to FiberLast's environmentally friendly aspects, the doors are more dent resistant and stable in extreme heat and cold temperatures compared to standard fiberglass and steel doors.

Just How Durable is FiberLast?

FiberLast Fiberglass doors have passed a barrage of tests from dent resistance to structural performance to energy efficiency and more. In fact, FiberLast door skins even reliably pass the ASTM D1037 Accelerated Weathering test typically used on exterior products like cement board siding.



48 hour test cycle completed 6 times. Now that is durable!



Door FL-684ME Sidelight FL-692ME



Door FK8-612EN Sidelight FK8-493EN



Door FK-648CV Sidelight FK-690CV



FIBERLAST | SMOOTH, WOODGRAIN WHITE & WOODGRAIN STAINABLE TAN



Smooth white (FL)



Woodgrain white (FW)



Woodgrain stainable tan (FK)

▲ Available in 7'0" heights



FL-659 Sunburst 2'8" x 6'8" 3'0" x 6'8"



FL-648 Camber Top 2'8" x 6'8" 3'0" x 6'8"



FL-100

Flush

FL-684 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-919

Full Oval

FL-60 6-Panel 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" 🔺



FL-686 Full View 2'8" x 6'8" 🔺 2'10" x 6'8" 3'0" x 6'8" 🔺 FL-687 2'6" x 6'8"



FL-692 Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-690/694 Flush SL Full View SL 10" x 6'8" 1'0" x 6'8" ▲ 1'2" x 6'8" ▲ 1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FL-692 1/2 View SL 1'0" x 6'8" ▲ 1'2" x 6'8" ▲



FK-686 & FW-686 Full View 2'8" x 6'8" 🔺 2'10" x 6'8" 3'0" x 6'8" 🔺 FK-687 & FW687 2'6" x 6'8"



FK-659 & FW-659 Sunburst 2'8" x 6'8" 3'0" x 6'8"



FK-648 & FW-648 Camber Top 2'8" x 6'8" 3'0" x 6'8"



FK-684 & FW-684 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FK-672 & FW-672 2'6" x 6'8"



FL-10

FK-60 & FW-60 6-Panel 2'6" x 6'8" 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" 🔺



FK-690

FW-690

Full View SL

1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FK-692 FW-692 1/2 View SL 1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FiberLast Fiberglass Door Construction





FL8-607

8'0" 1/2 View 2'8" x 8'0"

3'0" x 8'0"

FL8-612 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



FK8-612 & FW8-612 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



FK8-607 & FW8-607 8'0" 1/2 View 2'8" x 8'0" 3'0" x 8'0"





FL8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

FI 8-422 8'0" 1/2 View SL 1'0" x 8'0" 1'2" x 8'0"



FL8-60 8'0" 6-Panel 2'8" x 8'0" 3'0" x 8'0"



FK8-60 & FW8-60 8'0" 6-Panel 2'8" x 8'0" 3'0" x 8'0"



FK8-493 FW8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

FW8-422 8'0" 1/2 View SL 1'0" x 8'0" 1'2" x 8'0"



The Ingredients of Durability

- A. AuraLast[®] stiles and rails. Composite bottom rail prevents moisture absorption
- B. 1-1/4" lock stile is reinforced with a
- full-length 2-3/4" LVL lockblock
- C. Exterior-grade primer
- D. Energy efficient core. Polyurethane foam core gives the door the feel of solid wood.



- » 1-3/4" door
- » SCS certified 35% pre-consumer recycled content*
- » AuraLast[®] stile and rails
- » Full length 2-3/4" LVL lockblock
- » Exterior grade primer
- » 20-minute fire rated construction available**
- * Recycled content percentages refer to the door slab and do not include the door frame and/or frame components.

Fire-Rated Doors


Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.

** For true fire protection, these doors must be used with certified frames and hardware.

















Impressions

- » Clear Bevels
- » Iced Granite Glass
- » Streamed Glass
- » Clear Renaissance Glass

Privacy Rating | 7



Transoms



Rectangular | 507Ll (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height





FL-686LI FL, FW, FK Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FL-690/694LI FK/FW-690LI Full View SL 1'0" x 6'8" 1'2" x 6'8"



FK-684LI FL, FK, FW Half View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FK-692LI FL, FK, FW Half View SL 1'0" x 6'8" 1'2" x 6'8"





FL-692LI FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FK-659LI FL, FK, FW Sunburst 2'8" x 6'8" 3'0" x 6'8"



FL8-493LI

FL, FK, FW

8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

FL8-612LI FL, FK, FW 8'0" Full View 2'8" x 8'0" 3'0" x 8'0" Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability

FIBERLAST[™] | CORVINA (CV)






FL-686CV FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FL-690/694CV FK-648CV FK/FW-690CV FL, FK, FW Camber Top Full View SL 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FK-690CV FL-690/694CV FW-690CV Full View SL 1'0" x 6'8" 1'2" x 6'8"









- » Criss-Cross Glass
- » Micro-Cubed Glass

10



FIBERLAST[™] | *CATALINA* (*CA*)



FL-686CA FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FL-690/694CA

FK/FW-690CA

Full View SL

1'0" x 6'8"

1'2" x 6'8"



FL8-612CA FL, FK, FW 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

FL8-493CA FL, FK, FW 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"





Transoms



Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability

Half Round | Bronze Vein Wrought Iron | 516CA (Fits above 3'-0" door w/ (2) 14" sidelights) - 35" frame height

RELIABILITY for real life[®]



)

10

JW



FIBERLAST[™] | *TRIPOLI (TP)*



FK-686TP FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FK-687TP FL, FK, FW 2'6" x 6'8"



FK-684TP FL, FK, FW Half View 3'0" x 6'8"


FK-690TP

FW-690TP

Full View SL 1'0" x 6'8" 1'2" x 6'8"

FL-690/694TP


FK-692TP FL, FK, FW Half View SL 3'0" x 6'8"



Tripoli

- » Glue Chip Cluster Bevels
- » Glue Chip Glass
- » Alabaster Glass

Privacy Rating | 8



Transoms



Rectangular | Patina | 507TP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521TP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Patina | 503TP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Elliptical | Patina | 578TP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



FL-692TP FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-919TP FL Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FIBERLAST[™] | *INTERPRETATIONS (IT)*



FK-686IT FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FK-687IT FL, FK, FW Full View 2'6" x 6'8"

FW-690IT Full View SL 1'0" x 6'8" 1'2" x 6'8"

FL-690/694IT



FL-919IT FL Full Oval 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





Interpretations

- » Clear Bevels
- » Granite Glass
- » Clear Soft Wave Glass
- » Midnight Blue & Sage Green English Muffle Glass

-

10

Privacy Rating | 6

Patina

F

0





FK-686BE FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-659BE FL, FW, FK Sunburst 2'8" x 6'8" 3'0" x 6'8"





Beveled Elegance » Clear Glass


Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability



JW



FIBERLAST[™] | *ENTROPY* (*EN*)



FL-686EN FL-686EN FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FL-687EN FL, FK, FW 2'6" x 6'8"


FL-690/694R-EN FK/FW-690 Full View SL 1'0" x 6'8" 1'2" x 6'8"

FK-612EN

FL, FK, FW 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



FK-493R-EN FL, FK, FW 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"




Entropy

- » Clear Bevels
- » Granite Glass
- » Glacier Glass
- » Clear Renaissance Glass

Privacy Rating | 5


Transoms



Half Round | Black Chrome | 516EN (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability

$\mathsf{FIBERLAST}^{\mathsf{\tiny M}} \mid \mathit{AVALON}(\mathit{AN})$



FL-686AN FL, FW, FK Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-692AN FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-690/694AN

FK/FW-690AN

Full View SL 1'0" x 6'8" 1'2" x 6'8"



FL-684AN FL, FK, FW 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"








Avalon

- » Clear Bevels
- » Criss Cross Glass
- » Gray Soft Wave Glass

Privacy Rating | 9




Transoms



Rectangular | Satin Nickel | 506AN (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Satin Nickel | 507AN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height








DESIGN-PRO DOOR DESIGNS

Each Design-Pro door is created to look like wood and is built with strength, stability and reliability in mind. In fact, these doors are made to stay attractive longer, with less maintenance in any climate. We've created many versatile designs in Mahogany or Oak woodgrain. Our doors coordinate with a full range of decorative glass types and sidelights. Check with your local dealer for glass, door design and size availability.

Each Design-Pro door is backed by a limited lifetime warranty; review it at **www.jeld-wen.com**.









DM-100 Flush 3'0" x 6'8"

DM-919 Full Oval 3'0" x 6'8"







DM-20 2-Panel Continental 3'0" x 6'8"



DM-607 3/4 View 3'0" x 6'8"



DM-684 1/2 View 3'0" x 6'8"



DM8-100 8'0" Flush 3'6" x 8'0"



DM8-612 8'0" Full View 3'0" x 8'0"



DM8-20 8'0" 2-Panel Continental 3'0" x 8'0"



DM8-607 8'0" 1/2 View 3'0" x 8'0"

Design-Pro Door Construction



DM-690 Full View SL 1'0" x 6'8" 1'2" x 6'8"

DM-422 DM-692 1/2 View SL 1'0" x 6'8" 1'2" x 6'8" 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



- A. Energy efficient core
- B. Profiled composite edge
- C. Composite bottom rail
- D. LVL stiles





- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficent core
- » 12" lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.









DO-100 Flush 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" **DO-919** Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO-686 Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-687 2'6" x 6'8"



DO-30 3-Panel 3'0" x 6'8"



DO-949 3/4 Oval 3'0" x 6'8"



DOA-607 3/4 View 3'0" x 6'8"

Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"



DO-40 4-Panel 3'0" x 6'8"



DO-692 Twin 1/2 View 3'0" x 6'8"



DO-40BT 4-Panel Blank Top 3'0" x 6'8" DO-659

DO-659 Sunburst 3'0" x 6'8"



DO-648 Camber Top 3'0" x 6'8"



DO-637 1/2 View Round Top 3'0" x 6'8"



DO-684 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-672 2'6" x 6'8"



DO-60 6-Panel 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO-80 Center Arch 3'0" x 6'8"



Center Arch Glass 3'0" x 6'8"



DO-90 9-Panel 3'0" x 6'8"



DO-640 Center Glass 3'0" x 6'8"



DO8-100 8'0" Flush 3'0" x 8'0"



DO8-612 8'0" Full View 3'0" x 8'0" DO8-496 2'6" x 8'0"



DO8-60 8'0" 6-Panel 3'0" x 8'0"




DO-690/694 Full View SL 10" x 6'8"* 1'0" x 6'8" 1'2" x 6'8"



DO8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

DOA-422 3/4 View SL 1'0" x 6'8" 1'2" x 6'8" 1/2 View SL 10" x 6'8"* 1'0" x 6'8" 1'2" x 6'8"








Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass

Privacy Rating | 6

L			+(-)	
			0	 10
0				10

Transoms



Half Round | Patina | 516PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Patina | 507PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height





PS 3"

DM-690PS Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-422PS

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

DM-607PS

3/4 View 3'0" x 6'8"



DM8-612PS 8'0" Full View 3'0" x 8'0"



DM8-493PS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686PS Full View 3'0" x 6'8"





DOA-607PS 3/4 View 3'0" x 6'8"

DOA-422PS 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DO8-612PS 8'0" Full View 3'0" x 8'0"

D08-493PS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



51





Veranda » External Wrought Iron Grille » Low-E Micro-Granite Glass

Privacy Rating | 9



RUST-RESISTANT FINISH



HIDDEN LATCH



DECORATIVE SCREW HOLE PLUGS







DM-690VR Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-607VR 3/4 View 3'0" x 6'8"



DM8-612VR 8'0" Full View 3'0" x 8'0"

DM8-493VR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686VR Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





DOA-607VR 3/4 View 3'0" x 6'8"



DO8-612VR 8'0" Full View 3'0" x 8'0"

DO8-493VR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



53





Mediterranean » Wrought Iron Between Glass » Arctic Glass

Privacy Rating | 8



Transoms

2 - & XXC - 3

Rectangular | 506MD (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Rectangular | 507MD (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height









DM-607MD 3/4 View 3'0" x 6'8"

DM-422MD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-612MD 8'0" Full View 3'0" x 8'0"

DM8-493MD 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686MD Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







DOA-607MD 3/4 View 3'0" x 6'8"

DOA-422MD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DO8-612MD 8'0" Full View 3'0" x 8'0"

DO8-493MD 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



55





Expressions

- » Clear Bevels
- » Granite Glass
- » Gray Renaissance Glass



Transoms



Half Round | Brass or Satin Nickel | 516EX (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Segment | Brass or Satin Nickel | 532EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Brass Only | 506EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 507EX (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 521EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Brass Only | 517EX (Fits above 3'-0" door) — 13-1/2" frame height



DM-686EX Full View 3'0" x 6'8"

DM-690EX DM-919EX Full View SL Full Oval 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



DM-607EX 3/4 View 3'0" x 6'8"

DM-422EX DM-684EX 1/2 View 3/4 View SL 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



DM-692EX 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-612EX

8'0" Full View

3'0" x 8'0"

DM8-493EX 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686EX Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" DO-687EX (Brass Only)

2'6" x 6'8"

DO-690/694EX Full View SL 1'0" x 6'8" 1'2" x 6'8"





DOA-607EX 3/4 View 3'0" x 6'8"

DOA-422EX 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DO-684EX 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-692EX 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



DO-692EX Twin 1/2 View 3'0" x 6'8"



DO8-612EX 8'0" Full View 3'0" x 8'0"

DO8-493EX 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability



57







Legacy Master » Clear Cluster Bevels » Gray & Clear Renaissance Glass

Privacy Rating | 7



Transoms



Rectangular | Patina or Brass | 506LM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina or Brass | 507LM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina Only | 521LM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Brass Only | 503LM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



Rectangular | Patina Only | 517LM (Fits above 3'-0" door) — 13-1/2" frame height



DM-690LM

Full View SL

1'0" x 6'8" 1'2" x 6'8"



DM-607LM DM-422LM 3/4 View SL 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"

3/4 View



DM-692LM 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-612LM

8'0" Full View 3'0" x 8'0"

DM8-493LM 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak

DM-686LM

Full View

3'0" x 6'8"



DO-686LM Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" DO-687LM (Brass Only) 2'6" x 6'8"



DO-690/

694LM

DO-949LM 3/4 Oval 3'0" x 6'8"





3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

DOA-607LM 3/4 View 3'0" x 6'8"

DOA-422LM

DO-692LM Twin 1/2 View 3'0" x 6'8"



DO-637LM 1/2 View Round Top 3'0" x 6'8" (Brass Only)



DO-684LM Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-692LM 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

DO8-612LM

8'0" Full View 3'0" x 8'0"



DO8-493LM 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability



59





Escapades

- » Clear Bevel Clusters
- » Slush Glass
- » Frosted Glass
- » Clear Renaissance Glass

Nickel

Transoms



Rectangular | Nickel | 507EP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel | 521EP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height





DM-690EP Full View SL 1'0" x 6'8" 1'2" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

3/4 View 3'0" x 6'8"



DM-684EP 1/2 View 3'0" x 6'8"

DM-692EP 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

DESIGN-PRO

Design-Pro Oak



DO-686EP Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





DOA-607EP 3/4 View 3'0" x 6'8"



DO-692EP Twin 1/2 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"




DO-684EP 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-692EP 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

DO-687EP 2'6" x 6'8"









Oak Park

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass

Privacy Rating | 5



Transoms



Rectangular | Patina | 506KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina | 507KP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



DM-686KP

Full View

3'0" x 6'8"



DM-690KP Full View SL 3/4 View 1'0" x 6'8" 1'2" x 6'8"

Ē



DM-607KP 3'0" x 6'8"



DM-422KP DM-684KP 3/4 View SL 1/2 View 3'0" x 6'8"

1'0" x 6'8"

1'2" x 6'8"

DM-692KP 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

E

DM8-612KP

8'0" Full View 3'0" x 8'0"

DM8-493KP 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO8-493KP 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast [™] , Smooth-Pro and Steel Doors.	

See pages 32-33 for availability










Nouveau

- » Clear Cluster Bevels
- » Glue Chip Glass

Privacy Rating | 6



Transoms



Rectangular | Nickel, Patina or Brass | 507MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel, Patina or Brass | 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Nickel, Patina or Brass | 532MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Elliptical | Nickel, Patina or Brass | 578MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Nickel, Patina or Brass | 503MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability

DESIGN-PRO | *NOUVEAU (MN)*

Design-Pro Mahogany



DM-686MN Full View 3'0" x 6'8"

DM-690MN Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-919MN Full Oval 3'0" x 6'8"



DM-607MN 3/4 View 3'0" x 6'8"



DM-684MN 1/2 View 3'0" x 6'8"



Design-Pro Oak



DO-686MN Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Full Vlew SL



Full Oval 3'0" x 6'8"



DO-949MN 3/4 Oval 3'0" x 6'8"



DOA-422MN 3/4 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

DOA-422MN DO-692MN Twin 1/2 View 3'0" x 6'8" 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"





DO-659MN Sunburst 3'0" x 6'8"



DO-648MN Camber Top 3'0" x 6'8"



DO-637MN 1/2 View Round Top 3'0" x 6'8"



DO-684MN 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-692MN 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



DO-640MN Center Glass 3'0" x 6'8"







DM-686L-AR Full View 3'0" x 6'8" **DM-690AR** Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-612R-AR 8'0" Full View 3'0" x 8'0"

DM8-493AR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



Allure

- » Clear Bevels
- » Sandblasted Glass
- » Clear Renaissance Glass

Privacy Rating | 7



Transoms



Rectangular | Chrome | 507AR (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Design-Pro Oak



DO-686R-AR

Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO8-612L-AR 8'0" Full View 3'0" x 8'0"



DO8-493AR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability

DESIGN-PRO | *DOORGLASS BLINDS (TRLB)*

Design-Pro Mahogany



DM-686TRLB Full View 3'0" x 6'8"



DM-684TRLB 3/4 View 3'0" x 6'8"

Design-Pro Oak



DO-686TRLB Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" **DO-687TRLB** 2'6" x 6'8"



DO-684TRLB 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Doorglass Blinds

- » Raise, Lower and Tilt
- » No dusting. Blinds are sealed between tempered safety glass.
- » LightTouch[®] control raises and lowers the blind
- » Fingertip tilt control
- » Tan color

🥝 = Available in Low-E glass

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability







Simulated Divided Lites

» Traditional Style 1-1/8" grille » Low-E Glass 🧭

Privacy Rating | 1

-10 DM-406SDL

3/4 View

2-Lite SL

1'0" x 6'8" 1'2" x 6'8"

Design-Pro Mahogany



DM-679SDL Full View 8-Lite 3'0" x 6'8"

DM-479SDL Full View 4-Lite SL 1'0" x 6'8" 1'2" x 6'8"



DM-606SDL 3/4 View 4-Lite 3'0" x 6'8"



DM-646SDL 3/4 View 6-Lite 3'0" x 6'8"



DM-446SDL 3/4 View 3-Lite SL 1'0" x 6'8" 1'2" x 6'8"

Design-Pro Oak



DO-679SDL Full View 8-Lite 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO-685SDL 2'6 X 6'8"



DOA-606SDL 3/4 View 4-Lite 3'0" x 6'8"

DOA-406SDL 3/4 View 2-Lite SL 1'0" x 6'8" 1'2" x 6'8"



DOA-646SDL 3/4 View 6-Lite 3'0" x 6'8"

DOA-446SDL 3/4 View 3-Lite SL 1'0" x 6'8" 1'2" x 6'8"



69



Each Smooth-Pro door is made to be durable, energy efficient and affordable. | The smooth surface can be painted any color, and designs can be enhanced with various glass types. Check with your local dealer for glass, door design and size availability.

Each Smooth-Pro door is backed by a limited lifetime warranty; review it at **www.jeld-wen.com**.





SMOOTH-PRO



SP-100 Flush 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





2'6" x 6'8"

SP-40BT



SP-636 Full View Round Top 2'8" x 6'8" 2'10: x 6'8" 3'0" x 6'8"

SP-607

1-Panel 3/4 View 3'0" x 6'8"



SP-30 3-Panel 3'0" x 6'8"



SP-949 3/4 Oval 3'0" x 6'8"



SPA-607 2-Panel 3/4 View 3'0" x 6'8"





SP-40 4-Panel 3'0" x 6'8"



SP-659 4-Panel Blank Top 3'0" x 6'8" Sunburst 3'0" x 6'8"



SP-648 Camber Top 3'0" x 6'8"



SP-692 Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" SP-400

2'6" x 6'8"



SP-684 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" SP-672 2'6" x 6'8"





SP-80 8-Panel Center Arch 3'0" x 6'8" SP-632 Center Arch Glass 3'0" x 6'8"

SP-60

72

6-Panel 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

Smooth-Pro Door Construction





SP8-612 8'0" Full View 3'0" x 8'0" **SP8-496** 2'6" x 8'0"




SP8-60 8'0" 6-Panel 3'0" x 8'0"





SP8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



- A. Energy efficient core
- B. Composite bottom rail
- C. LVL stiles
- D. Profiled composite edge



- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » 12" lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.












Patina

Cadence

- » Clear Bevel Cluster
- » Hammered Glass
- » Ripple Glass

Privacy Rating | 6



Transoms



Half Round | Patina | 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Segment | Patina | 532CD (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

JELD-WEN.COM 74

SMOOTH-PRO | *CADENCE* (*CD*)



SP-686CD Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-690/694CD Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-919CD Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-607CD 3/4 View 3'0" x 6'8"

Also available as 2-Panel


SPA-607 door with SPA-422 sidelight

SP-422CD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

SP-949CD 3/4 Oval 3'0" x 6'8"



1'0" x 6'8" 1'2" x 6'8"



Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

SP8-612CD 8'0" Full View 3'0" x 8'0"

SP8-493CD 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

SMOOTH-PRO | CIRRUS (CR)






SP-690/ SP-686CR 694L-CR Full View SL 1'0" x 6'8" 3'0" x 6'8" 1'2" x 6'8"

Full View 2'8" x 6'8" 2'10" x 6'8"

SP-690/ 694R-CR Full View SL 1'0" x 6'8" 1'2" x 6'8"

SP8-493L-SP8-612CR CR 8'0" Full Vlew 8'0" Full 3'0" x 8'0" View SL 1'0" x 8'0" 1'2" x 8'0"

SP8-493R-CR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"





» Iced Granite Glass » Thin Reed Glass Privacy Rating | 8

10





Rectangular | Chrome | 507CR (Fits above 3'-0" door w/ (2) 14" sidelights) - 15-1/2" frame height

SMOOTH-PRO | *SILHOUETTES (SI)*



SP-686SI Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-687SI 2'6" x 6'8"

Transoms



Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

Rectangular | Nickel | 507SI

SP-690/694SI

Full View SL

1'0" x 6'8" 1'2" x 6'8"


(Fits above 3'-0" door w/ (2) 14" sidelights) - 15-1/2" frame height



SP8-612SI

8'0" Full View 3'0" x 8'0"

SP8-493SI 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"







0

75

10



SMOOTH-PRO | *PRAIRIE BEVEL (PR)*



SP-686PR Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-690/694PR Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-607PR 3/4 View 3'0" x 6'8"

SP-422PR 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight





Prairie Bevel

- » Clear Bevels
- » Thin Reed Glass
- » Eaton Glass

Privacy Rating | 8

1					1	
0				O.	10	
0					10	

Transoms



Rectangular | Patina | 506PR (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina | 507PR (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



SP-684PR 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-692PR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



SP-692PR Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

SMOOTH-PRO | JACINTO (JA)



SP-686JA Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-687JA 2'6" x 6'8"




SP-690/694JA SP-607JA Full View SL 1'0" x 6'8" 1'2" x 6'8" 3/4 View 3'0" x 6'8"



SP-422JA 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight







Jacinto » Arctic Glass

Privacy Rating | 8

н

0



Transoms




Rectangular | Wrought Iron | 507JA (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Wrought Iron | 521JA

(Fits above 3'-0" door w/(2) 12" sidelights) — 12-1/2" frame height



Segment | Wrought Iron | 532JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



SP8-612JA 8'0" Full View 3'0" x 8'0"



SP8-493JA 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

RELIABILITY for real life[®]







Heirlooms

- » Clear Cluster Bevels
- » Glue Chip Glass
- » Granite Glass

Privacy Rating | 6



Transoms



Half Round | Brass or Satin Nickel | 516HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass or Satin Nickel | 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 507HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Brass or Satin Nickel | 503HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height Elliptical | Brass or Satin Nickel | 578HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Brass or Satin Nickel | 532HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) — 13-1/2" frame height

SMOOTH-PRO | *HEIRLOOMS* (*HM*)



SP-919HM Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-686HM Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



M SP-690/694HM Full View SL " 1'0" x 6'8" 8" 1'2" x 6'8"

A SP-636HM

Full View Round Top 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-607HM 3/4 View 3'0" x 6'8"

SP-422HM 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

SP-692HM

1/2 View SL

1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight



SP-949HM 3/4 Oval 3'0" x 6'8"



SP-692HM Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-659HM Sunburst 3'0" x 6'8"



SP-684HM 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-632HM Center Arch Glass 3'0" x 6'8"



SP8-612HM 8'0" Full View 3'0" x 8'0" **SP8-493HM** 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

SPA-422HM

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

> Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability



79





atın lickel

Brass

Bristol

- » Clear Bevels
- » Clear Cluster Bevels
- » Granite Glass
- » Hammered Glass

Privacy Rating | 6



Transoms



Rectangular | Satin Nickel or Brass | 506BT (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

SMOOTH-PRO | *BRISTOL* (*BT*)



SP-686BT Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-690/694BT Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-422BT 3/4 View 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight

SP-607BT

3'0" x 6'8"

SP8-612BT

3/4 View



SP-949BT

3'0" x 6'8"

3/4 Oval

SPA-422BT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



SP-692BT Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-684BT 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-692BT 1/2 View 1'0" x 6'8" 1'2" x 6'8"



8'0" Full View 3'0" x 8'0"







Black



Avant

- » Clear Cluster Bevels
- » Eaton Glass
- » Granite Glass

Transoms



Elliptical | Black Chrome | 578AV (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

SMOOTH-PRO | AVANT (AV)



SP-686AV Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-690/694AV Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-422AV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelights

3/4 View

3'0" x 6'8"



SP-684AV 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-692AV 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



 SP8-612AV
 S

 8'0" Full View
 8

 3'0" x 8'0"
 8

SP8-493AV 8'0" Full View SL 3'0" x 8'0"

Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability **Every JELD-WEN® Steel exterior door is durable and affordable.** | They include wood stiles and rails with mitered top corners to prevent water absorption. Galvanized exterior door facings are factory-primed with neutral, low-sheen, baked-on enamel primer for easy finishing. Our wide range of steel doors include designs with beautiful decorative glass, popular grille patterns, textured glass, or blinds between glass. Additionally, all standard glass designs fit these doors. Please check with your local dealer for glass, door design and size availability.

Each JELD-WEN Steel door is backed by a 10-year limited warranty; review it at www.jeld-wen.com.

24-GAUGE STEEL DOORS

Contours[™] Designs (CT)

These doors feature a tough, **24-gauge** galvanized steel skin that features our exclusive beaded sticking profile. They're available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes.

Energy Saver[®] Designs (ES)

In addition to a strong, **24-gauge** galvanized steel door facing, these doors feature a classic panel design and are available with an optional steel edge for increased security and a fire rating of up to 90 minutes.

25-GAUGE STEEL DOORS

Gladiator[®] Designs (GD)

Our Gladiator collection includes construction-grade steel doors with durable **25-gauge** steel skins.

FiniShield[®] Designs (FS)

These economical steel doors have **25-gauge** steel skins with two coats of baked-on enamel and are covered in a prefinished seven-mil layer of oak-textured vinyl.



Energy Saver Profile Gladiator Profile FiniShield Profile



STEEL





CT-60 CT, FS, GD 6-Panel 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8" ES 3'6" x 6'8"



CT-80 8-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-632 CT 8-Panel Center Arch 2'8" x 6'8" 3'0" x 6'8"



CT-90 CT, FS, GD 9-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-640 CT, FS, GD Center Glass 2'8" x 6'8" 3'0" x 6'8"

CT, FS, GD 2'6" x 6'8"

* Contours and Gladiator Sunburst and Camber Top designs have different head top rail dimensions. See specifications.

84 JELD-WEN.COM

СТ

CT = Contours **ES** = Energy Saver FS = FiniShield **GD** = Gladiator



CT-22 СТ 2-Panel 2'8" x 6'8" 3'0" x 6'8" CT-20 2-Panel Arch Top 2'8" x 6'8" 3'0" x 6'8"



CT

ES-690/694 ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"

CT-422 CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

CT-692 CT, FS, GD 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-100 ES 8'0" Flush 8'0" Flush 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"



ES8-612 ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0" ES8-496 2'6" x 8'0"



2-Panel Arch Top



2-Panel V-groove Arch Top





CONTOURS[™] STEEL/ **ENERGY SAVER[®] STEEL**

• 1-3/4" Door


- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 24-gauge steel facing • Optional steel edge with
- 24-gauge steel facing • 12" lock block
- 20-minute fire rating construction available*



GLADIATOR® STEEL/ FINISHIELD® STEEL

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 25-gauge steel facing*
- 12" lock block

*FiniShield features 25-gauge steel skin with 7-mil woodgrain textured vinyl



Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.











CT-24

Arch Top 2'8" x 6'8"

3'0" x 6'8"

2-Panel V-groove

СТ

ES8-493 ES 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



ES8-60 ES 8'0" 6-Panel 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"







ES-686RA

ES, FS, GD

Full View

2'8" x 6'8" 3'0" x 6'8"



CT-949RA

CT, FS, GD

2'8" x 6'8" 3'0" x 6'8"

3/4 Oval



CTA-607RA

CT, FS, GD

3/4 View

2'8" x 6'8" 3'0" x 6'8"



CT-422RA CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



Radiant Hues

- » Clear Bevels
- » Clear Renaissance Glass
- » Gray Renaissance Glass

Privacy Rating | 6

Transoms



Rectangular | Nickel | 506RA (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Nickel | 507RA (Fits above 3'-0" door w/ (2) 14" sidelights) ----15-1/2" frame height

Rectangular | Nickel | 521RA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Nickel | 517RA (Fits above 3'-0"door) - 13-1/2" frame height



CTA-422RA

2'8" x 6'8" 3'0" x 6'8"

СТ Twin 3/4 View

CT-692RA CT, FS, GD Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"

CT-684RA CT, ES, FS, GD 1/2 View 2'8" x 6'8" 3'0" x 6'8"



CT, FS, GD 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



CT-632RA CT Center Arch Glass 2'8" x 6'8" 3'0" x 6'8"



ES8-612RA ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

ES8-493RA ES 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability





ES-690/

694RA

Full View SL

1'0" x 6'8" 1'2" x 6'8"

ES, FS

STEEL | *MADISON (MI)*





ES-686MI ES, FS, GD E3, 13, GD Full View 2'8" x 6'8" 3'0" x 6'8"

ES-690/694MI CTA-422MI ES-696/694 ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8" CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"



CTA-607MI CT, FS, GD 3/4 View 2'8" x 6'8" 3'0" x 6'8"


CT-422MI CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-612MI 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

ES

ES8-493MI ES 8'0" Full View 1'0" x 6'8" 1'2" x 6'8"



Nickel Vein Wrought Iron



Madison » Micro-Cubed Glass

Privacy Rating | 9

H H 0 10

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability







Teton

- » Clear Bevels
- » Thin Reed Glass
- » Cubed Glass

Privacy Rating | 7

⊢	+	-+	-+	+	+	+(+)+	
0						\bigcirc	10

Transoms



Elliptical | Satin Nickel | 503TE (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

88 JELD-WEN.COM

STEEL | *TETON (TE)*





ES-686TE ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8"

ES-690/694TE ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"



CT-949TE CT, FS, GD 3/4 Oval 2'8" x 6'8" 3'0" x 6'8"






CT-422TE CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

CTA-422TE CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability

STEEL | *MONTEREY* (*MO*)



ES-686MO ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8"





CTA-422MO CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"

CT-422
CT, GD 3/4 View

CT-422MO CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



CTA-607MO CT, FS, GD 3/4 View 2'8" x 6'8" 3'0" x 6'8"







Monterey

- » Clear Bevels
- » Granite Glass
- » Micro-Granite Glass

Privacy Rating | 7



Transoms



Rectangular | Patina or Satin Nickel | 507MO (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height






R

Quiet Elegance » Light Silkscreen Glass » Clear Glass

Privacy Rating | 7



STEEL | QUIET ELEGANCE (QE)



ES-686QE

ES-666QE ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8"

CT-690/694QE ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"



CT-919QE ES, FS, GD Full Oval 2'8" x 6'8" 3'0" x 6'8"



CT-692QE CT, FS, GD Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"



CT-684QE CT, ES, FS, GD 1/2 View 2'8" x 6'8" 3'0" x 6'8"

CT-692QE CT, FS, GD 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

STEEL | *MAJESTIC (ME)*



ES-686ME ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8" ES-687ME ES, FS, GD 2'6" x 6'8"

687 not available in patina



ES-690/

694ME

ES, FS

CTA-607ME CT, FS, GD 3/4 View 2'8" x 6'8" 3'0" x 6'8"



CT-422ME CT, GD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



CTA-422ME СТ Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"

CT-684ME CT, ES, FS, GD 1/2 View 2'8" x 6'8" 3'0" x 6'8"





CT-692ME

CT, FS, GD Twin 1/2 View

2'8" x 6'8" 3'0" x 6'8"

CT-640ME CT, FS, GD Center Glass 2'8" x 6'8" 3'0" x 6'8"



CT-637ME

CT, GD, FS

2'8" x 6'8" 3'0" x 6'8"

1/2 View Round Top

ES8-612ME FS 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



ES8-493ME FS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"






Majestic

- » Glue Chip Bevels
- » Glue Chip Glass
- » Gray Soft Wave Glass

Privacy Rating | 8



Transoms



Rectangular | Nickel or Brass | 506ME (Fits above 3'-0" door w/ (2) 12" sidelights) - 15-1/2" frame height

Rectangular | Nickel or Brass | 507ME (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina, Nickel or Brass | 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Patina, Nickel or Brass | 578ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height Elliptical | Nickel or Brass | 503ME (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height







Cut Crystal » V-Grooved Clear Glass

Simplicity » Grooved Glass

» Frosted Glass

Privacy Rating | 1 H -0 10



STEEL | CUT CRYSTAL (CC)



ES-686CC ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8"

CT-690/694CC ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-612CC ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"





10

Privacy Rating | 9

STEEL | *SIMPLICITY (SM)*



ES, FS, GD Full View 2'8" x 6'8" 3'0" x 6'8"

CT, FS, GD

Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"

CT, FS, GD 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability

FIBERLAST[™], DESIGN-PRO, SMOOTH-PRO & STEEL | *BLINDS BETWEEN GLASS*

Triple Glazed Blinds Between Glass





686BLD Full View 2'8" x 6'8" 3'0" x 6'8"

684BLD 1/2 View 2'8" x 6'8" 3'0" x 6'8"

Blinds Between Glass



686RLB Full View 2'8" x 6'8" 3'0" x 6'8" 687RLB

2'6" x 6'8"

607RLB 690RLB



2'8" x 6'8" 3'0" x 6'8"

Not available

in FiberLast

684RLB 1/2 View 2'8" x 6'8" 3'0" x 6'8" 672RLB 2'6" x 6'8"

C

Triple Glazed Blinds

with Grilles

686-CGBGBLD

10-Light 2'8" x 6'8" 3'0" x 6'8"



SP-692RLB

1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

684-CGBGBLD

9-Light 2'8" x 6'8" 3'0" x 6'8"



686-CGBGBLD

15-Light 2'8" x 6'8" 3'0" x 6'8"

SP8-612RLB Full View SL 2'8" x 8'0" 3'0" x 8'0" 496RLB 2'6" x 8'0"



Blinds Between Glass

- » Raise, Lower and Tilt Blinds
- » No dusting
- » Available in Low-E glass
- » Triple Glazed design reduces heat transmission by 28%

Privacy Rating | 1 / 5 / 10









Venting Door Glass - Lets in fresh air

Full View SL

1'0" x 6'8" 1'2" x 6'8"



799CL 1/2 View 2'8" x 6'8" 3'0" x 6'8"

🕝 = Low-E RN = Rain glass



799RN 1/2 View 2'8" x 6'8" 3'0" x 6'8"



799GBG 1/2 View 2'8" x 6'8" 3'0" x 6'8"




799GBG/RN 1/2 View 2'8" x 6'8" 3'0" x 6'8"

GRILLES BETWEEN THE GLASS (GBG) & CLEAR DOORGLASS



Door designs shown with clear glass inserts. The following glass inserts are available for FiberLast[™], Design-Pro, Smooth-Pro, and Contours[™], Energy Saver[®], Gladiator[®], and FiniShield[®] steel doors. See door pages for door style availability.



Available with Low-E CB = Contoured Bar 11/16" SLB = Slim Line Bar 5/16" WB = Wide Bar 7/8" SB = Standard Bar 5/8" WPB = Wide Prairie Style Bar 7/8" PB = Prairie Style Bar 5/8" PG = Privacy Glass CL = Clear FX = Fixed External Grilles

FIXED GRILLES AND CLEAR DOORGLASS



8 Foot Options



Clear Glass Transom



515CL (3'-0" door w/ (2) 12" sidelights) **516CL** (3'-0" door w/ (2) 14" sidelights)

505/517/525-GBG 3-light

RELIABILITY for real life[®]

95

GBG, CLEAR GLASS & GRILLES

If you live near the coast or in an area prone to hurricanes, your home is subject to harsh and potentially dangerous conditions. That's why your door choices are crucial to your home's survival.

JELD-WEN offers select door systems with features that allow them to stand up to salt air, coastal moisture, severe winds and the dangerous wind borne debris from hurricanes.

The doorglass used in our door systems is certified for use in various entry systems to meet Florida and Texas code requirements. The glass is also designed to maximize natural light, making it an attractive alternative to hurricane shutters.

Visit www.jeld-wen.com and your JELD-WEN dealer for specific details on door systems requiring coastal certifications.



Impact Rated Opaque Doors



ES-100 ES Flush 2'0" x 6'8" ES, FS, GD 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



CT-30 CT 3-Panel 2'8" x 6'8" 3'0" x 6'8"



ES-40 ES 4-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-60 CT 6-Panel 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



CT-80 CT 8-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-90 CT 9-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-22 CT 2-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-20 CT 2-Panel Arch Top 2'8" x 6'8" 3'0" x 6'8"



CT-24 CT 2-Panel V-groove Arch Top 2'8" x 6'8" 3'0" x 6'8"



ES8-100 ES 8'0" Flush 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"



ES8-60 ES 8'0" 6-Panel 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

SEVERE WEATHER DOORGLASS

Raise, Lower and Tilt Blind (RLB)





ES-686RLB ES-690/ ES, DP, SP, FL 694RLB Full View 2'8" x 6'8" 3'0" x 6'8"

only)

ES-684RLB 1/2 View ES, DP, SP, FL CT Full View SL 2'8" x 6'8" 1'0" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8" (694 SL tilt

ES8-612RLB ES 8'0" Full View 3'0" x 8'0"

ES8-487RLB ES 8'0" Full View 2'0" x 8'0"

Clear (CL) Glass ee

ES-686CL ES-694CL ES, DP, SP, FL ES, DP, SP Full View Full View SL 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8" ES-687CL ES, DP, SP, FL 2'6" x 6'8"



CT-684CL

1/2 View

2'8" x 6'8" 3'0" x 6'8"

CT



ES

2'8" x 8'0" 3'0" x 8'0"

ES8-496CL

2'6" x 8'0"

C ES8-612CL

ES8-493CL ES 8'0" Full View Full View SL 1'0" x 8'0" 1'2" x 8'0"

Grilles Between Glass (GBG) e e e e C e e CT-684GBG9* ES-686GBG10 ES-686GBG15* ES-694GBG5* E8S-612GBG12 ES8-612GBG18* ES8-493GBG6 ES, DP, SP, FL 15-Lite ES, DP, SP, FL ES, DP, SP, FL CT ES ES ES 9-Lite 10-Lite 8'0" 18-Lite 8'0" 6-Lite SL 8'0" 12-Lite 5-Lite SL 2'8" x 6'8" 3'0" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8" 1'0" x 8'0" 1'2" x 8'0" 2'8" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 3'0" x 8'0"



*Also available in Prairie Style grille design DP = Design-Pro, SP = Smooth-Pro, FL = FiberLast[™], ES = Energy Saver, CT = Contours



SEVERE WEATHER DOORGLASS

Jacinto (JA) Glass







ES-694JA ES, DP, SP, FL CT 3/4 View Full View SL 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

CTA-607JA

ES



ES8-493JA ES 8'0" Full View 8'0" Full 2'8" x 8'0" 3'0" x 8'0" View SL 1'0" x 8'0" 1'2" x 8'0"

Impressions (LI) Glass



ES-686LI ES-694LI ES, DP, SP, FL ES, DP, SP, FL Full View Full View SL 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8"



CT-684LI

1/2 View

СТ

ES8-493LI ES 8'0" Full View SL 2'8" x 8'0" 1'0" x 8'0" 3'0" x 8'0" 1'2" x 8'0"

Heirlooms (HM) Glass



ES-686HM ES-694HM ES, DP, SP, FL ES, DP, SP, FL Full View Full View SL 2'8" x 6'8" 1'0" x 6'8" 3'0" x 6'8" 1'2" x 6'8"



1/2 View 3/4 View 2'8" x 6'8" 3'0" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



ES8-612HM ES8-493HM ES 8'0" Full 8'0" Full View View SL 2'8" x 8'0" 3'0" x 8'0" 1'0" x 8'0" 1'2" x 8'0"





ES-686RA ES-694RA ES, DP, SP, FL ES, DP, SP, FL CT Full View Full View SL 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 6'8"




ES8-612RA ES8-493RA ES 8'0" Full View 8'0" Full 2'8" x 8'0" 3'0" x 8'0" View SL

Majestic (ME) Glass



Full View 2'8" x 6'8" 3'0" x 6'8"

98





CT-684ME CT 1/2 View 2'8" x 6'8" 3'0" x 6'8" 2'8" x 6'8"



FS

ES

FS 8'0" Full 8'0" Full View View SL 2'8" x 8'0" 3'0" x 8'0"

Paris (PS) Glass



ES-694PS CTA-607PS ES-686PS ES, DP, SP, FL ES, DP, SP, FL CT Full View SL 3/4 View Full View 2'8" x 6'8" 1'0" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



Radiant Hues (RA) Glass









1'0" x 8'0" 1'2" x 8'0"



3'0" x 6'8"

ES8-612ME ES8-493ME 1'0" x 8'0" 1'2" x 8'0"

The JELD-WEN Door System

All JELD-WEN doors are available with our prehanging option. This comprehensive package ensures the smoothest installation of your JELD-WEN door. Ask your dealer for available prehung options.

- 6'8", 7'0" and 8'0" systems
- Doors available in both inswing and outswing configurations

Multiple frame depths available 4-9/16"; 5-1/4"; 6-9/16"; 7-1/4" Standard primed frames and brickmould, ready to paint

Optional AuraLast[®] Wood exterior door frames and brickmould - **stain** or **paint grade**

Hinge finish options available. Contact JELD-WEN dealer for more information

Energy efficient foam weatherstripping around the door perimeter, combined with door bottom sweeps to help seal out wind and water.

Sill system

Select your Configuration

Exterior doors configurations come in a variety of styles and price points. Choose one that's right for you. Here are a few standard system configurations to choose from:













Double Doors



Single Door

PROTECTS

AGAINST

Single Door with Sidelight w

Single Door Single Door with two Sidelights with Transom

Single Door with Sidelights and Transom

Double Doors with Sidelights



AuraLast[®] Wood Exterior door frames

AuraLast Wood offers virtually 100% surface to core protection guaranteed. Nail and screw holes will not compromise the shield of AuraLast protection.

Protects Against Wood Rot

JELD-WEN[®] exterior door frames and components with AuraLast Wood are protected against wood rot, so they'll maintain their structural integrity even in the harshest weather and most severe climates.

Protects Against Termites

Termites cause significant damage to unprotected wood, JELD-WEN exterior door frames and components with AuraLast Wood protects against the harmful attack of termites.

Protects Against Water Saturation

AuraLast Wood offers superior resistance to water saturation and protects wood against swelling. This helps prevent the door from sticking and it will open and close easily regardless of environmental conditions.

Environmentally Friendly Aspects

The AuraLast water-based, vacuum-pressure process, protects the environment as well as the product. 96% fewer volatile organic compounds (VOC's) are released during the manufacturing process than during traditional wood submersion/dip treatment methods.

AuraLast Wood door frames can be stained or painted to match any wood tone/color application and no pre-sealers are needed.

Appropriate Protection for Exterior Doors

The protection of your door is a major factor in its maintenance requirements and longevity. To adequately protect your door and extend its life, you have to consider several factors. You'll need to take into account the door type, climate, exposure, color choice and the use of a storm door.

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. Here are some guidelines as you consider the type of door you install, the finish you choose, and how much overhang protection is needed.



Overhangs

Depending on the climate and the direction the door faces, wood doors will require some sort of protective overhang. A formula to help you determine the correct overhang for your wood door in most cases is: Y = 1/2X. For example, if

the measurement from the

base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. In most climates, an overhang as shown in the illustration is required for wood doors, and suggested for all exterior doors. Keep in mind that overhangs are always wise, even for steel and fiberglass doors.

You also need to take into account the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day. Please consult the chart below and adjust the length of the overhang as needed.

Without correct overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors with these exposures may experience performance problems such as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels and glass. With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Color Choice

No matter what type of exterior door you install, color choice may affect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you can't hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading. In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect your door from the effects of the sun.

Storm Doors

Storm doors provide additional protection for your door in many climates. They shelter the door mainly from rain and wind, though a storm door with dual-pane Low-E glass will also block UV rays. In hot climates or if the exterior door gets more than a few hours of direct sun each day, adding a storm door may not be a good choice. It may trap too much heat and cause the surface temperature of the door to raise above 150F. This may cause substantial damage — such as warping, color fading and wood joint separation — to the door and be dangerous to the touch. Please note, a storm door in front of a dark colored exterior door can accelerate heat buildup even more.

JELD-WEN Warranties

This document provides general information about measures that can be taken to better protect exterior doors, but no warranties, whether express or implied, are provided by this document. For specific product information and available product warranties, please refer to **www.jeld-wen.com** or contact JELD-WEN Customer Service at 888-JWHELPU.

		NORTH	SOUTH	EAST	WEST
	DESERT	Y=1/2X	Y=2X	Y=1/2X	Y=2X
IATE	OCEAN	Y=1/2X	Y=X	Y=1/2X	Y=X
CLIM	WET	Y=X	Y=X	Y=X	Y=X
	MILD	Y=1/2X	Y=X	Y=1/2X	Y=X

DIRECTION YOUR DOOR FACES

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
6-PANEL					•					
3'0", 3'6"	6'8"	6	1-3/4"	10-7/8", 12"	4-7/8", 6-3/8"	4-1/4", 5"	4-3/4", 4-7/8"	6-1/2 "	9-1/4"	Mahogany
3'0", 3'6"	8'0"	6	1-3/4"	10-7/8", 12-1/2"	4-7/8", 5-7/8"	4-1/4", 5"	4-3/4 "	8"	8-1/2 "	Mahogany
3-PANEL										
3'0"	6'8"	3	1-3/4"	11-1/2", 26"	5-1/8"	N/A	4-3/4 "	3-3/16"	9-1/4"	Mahogany
4-PANEL BOTT	OM ARCH									
3'0"	6'8"	4	1-3/4"	N/A	5-1/8"	N/A	4-3/4 "	N/A	9-1/4"	Mahogany
3'0, 3'6"	8'0"	4	1-3/4"	N/A	4-7/8", 6-3/8"	N/A	4-3/4 "	N/A	8-1/2 "	Mahogany
2-PANEL CRAF	SMAN (CA	MBER/SQL	JARE TOP)							
3'0"	6'8"	2	1-3/4"	10"	4-7/8"	5-15/16"	4-3/4 "	N/A	9-1/4"	Mahogany
2-PANEL PLAN	<									
3'0"	6'8"	2	1-3/4"	26"	4-7/8"	N/A	4-3/4"	6-1/2 "	9-1/4"	Mahogany
3'0", 3'6"	8'0"	2	1-3/4"	26", 30"	4-7/8", 5-7/8"	N/A	4-3/4 "	7"	8-1/2 "	Mahogany
1-PANEL PLAN	<									
3'0"	6'8"	1	1-3/4"	26"	4-7/8"	N/A	4-3/4 "	N/A	9-1/4 "	Mahogany
3'0, 3'6"	8'0"	1	1-3/4 "	26", 30"	4-7/8", 5-7/8"	N/A	4-3/4 "	N/A	8-1/2 "	Mahogany
1-PANEL 3/4 LI	ΓE									
3'0"	6'8"	1	1-3/4 "	26"	4-7/8 "	N/A	5-1/8"	5"	9-1/4 "	Mahogany
3'0"	8'0"	1	1-3/4 "	26"	4-7/8"	N/A	5-1/8"	5-7/8"	8-1/2 "	Mahogany
FULL LITE										
3'0"	6'8"	N/A	1-3/4"	N/A	5-1/8"	N/A	5-1/8"	N/A	9-5/8"	Mahogany
3'0"	8'0"	N/A	1-3/4"	N/A	5-1/8"	N/A	5"	N/A	9"	Mahogany

Architectural Fiberglass Doors - Mahogany

Architectural Fiberglass Doors - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface	
6-PANEL											
3'0"	6'8"	6	1-3/4"	10-7/8"	4-7/8"	4-1/4"	4-7/8"	6-1/2 "	9-1/4 "	Oak	
2-PANEL 1/2 LITE	2-PANEL 1/2 LITE										
3'0"	6'8"	2	1-3/4 "	10-7/8"	4-7/8"	4-1/4"	5-1/8"	6-7/8"	9-1/4 "	Oak	
2-PANEL 3/4 LITE											
3'0"	6'8"	2	1-3/4 "	10-1/2 "	4-7/8"	5"	5-1/8"	N/A	9-1/4 "	Oak	
FULL LITE											
3'0"	6'8"	N/A	1-3/4"	N/A	4-7/8"	N/A	5-1/8"	N/A	9-5/8 "	Oak	

Architectural Fiberglass Sidelights - Mahogany

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-5/8"	Mahogany
1'0, 1'2"	8'0"	N/A	1-3/4"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	8-7/8"	Mahogany
3/4 LITE										
1'0", 1'2"	6'8"	1	1-3/4 "	8-5/8"	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4 "	Mahogany
1/2 LITE										
1'0", 1'2"	6'8"	1	1-3/4 "	8-5/8 "	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"	Mahogany

Architectural Fiberglass Sidelights - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-5/8 "	Oak
3/4 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/4"	1-1/2", 2-1/2"	N/A	5-1/8 "	N/A	9-1/4 "	Oak
1/2 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/4 "	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4 "	Oak

Door Series	Width	Height*	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Glass Cut Out
FLUSH							
FL	2'6", 2'8", 2'10", 3'0"	6'8"	N/A	N/A	N/A	N/A	up to 23" x 65"
FL	2'8", 3'0"	7'0"	N/A	N/A	N/A	N/A	up to 23" x 65"
6-PANEL							
FW, FK	2'6"	6'8"	4-3/8 "	4-3/8"	4-7/8"	6-7/16"	up to 21" x 65"
FL, FW, FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	5 "	4-7/8"	6-7/16"	up to 23" x 65"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	up to 23" x 65"
FL, FW, FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	5 "	6-5/8"	8 "	up to 23" x 81"
4-PANEL DOOR W	ITH BLANK TOP						
FL, FW, FK	2'8",3'0"	6'8"	4-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	up to 23" x 65"
HALF-LITE							
FW, FK	2'6"	6'8"	4-3/8"	4-3/8"	4-7/8"	6-7/16"	21" x 37"
FL, FW,FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	23" x 37"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	23" x 37"
FL, FW,FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	5"	6-5/8"	8"	23" x 49"
FULL-LITE							
FW, FK	2'6"	6'8"	4-3/8"	N/A	4-7/8"	N/A	21" x 65"
FL, FW,FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	23" x 65"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	N/A	4-7/8"	N/A	23" x 65"
FL, FW,FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	N/A	6-5/8"	N/A	23" x 81"

FiberLast Doors - Smooth (FL), Woodgrain White (FW), Woodgrain Stainable Tan (FK)

FiberLast Sidelights - Smooth (FL), Woodgrain White (FW), Woodgrain Stainable Tan (FK)

FLUSH							
FL	10", 1'0", 1'2"	6'8"	N/A	N/A	N/A	N/A	up to 9" x 65"
FL	1'0", 1'2"	7'0"	N/A	N/A	N/A	N/A	up to 9" x 65"
HALF-LITE							
FL, FW, FK	1'0", 1'2"	6'8"	1-1/2", 2-1/2"	N/A	4-7/8"	6-7/16"	9" x 37"
FL, FW, FK	1'0", 1'2"	7'0"	1-1/2", 2-1/2"	N/A	4-7/8"	6-7/16"	9" x 37"
FL, FW, FK	1'0", 1'2"	8'0"	1-1/2", 2-1/2"	N/A	6-5/8"	8 "	9" x 49"
FULL-LITE							
FL	10"	6'8"	1/2 "	N/A	4-7/8"	N/A	8" x 65"
FL, FW, FK	1'0", 1'2"	6'8"	1-1/2", 2-1/2"	N/A	4-7/8 "	N/A	9" x 65"
FL, FW, FK	1'0", 1'2"	7'0"	1-1/2", 2-1/2"	N/A	4-7/8 "	N/A	9" x 65"
FL, FW, FK	1'0", 1'2"	8'0"	1-1/2", 2-1/2"	N/A	6-5/8 "	N/A	9" x 81"

* 6'8" doors available in 79" to 79-1/4" heights; 7'0" doors avaiable in 83" to 83-1/4" heights; 8'0" doors available in 95" to 95-1/4" heights

Bottom Rail height varies with door height: Smooth Bottom Rail: 10-1/4" to 10-1/2"; Woodgrain Bottom Rail: 9-1/8" to 9-7/16"

Width	Height	No. of	Thickness	Panel Width	Outer Stiles	Center	Top Rail	Lock	Bottom	Surface
		Panels				Mullion		Rail	Rail	
FLUSH										
3'0"	6'8"	N/A	1-3/4 "	N/A	N/A	N/A	N/A	N/A	N/A	Mahogany
3'6"	8'0"	N/A	1-3/4 "	N/A	N/A	N/A	N/A	N/A	N/A	Mahogany
2-PANEL CONTI	NENTAL									
3'0"	6'8"	2	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	6-1/2 "	9-1/8"	Mahogany
3'0"	8'0"	2	1-3/4 "	23"	6-3/8"	N/A	6-1/8"	8"	11-3/8"	Mahogany
1-PANEL 3/4 LIT	E									
3'0"	6'8"	1	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	5-1/2 "	9-1/8"	Mahogany
1-PANEL 1/2 LIT	E									
3'0"	6"8"	1	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	6-3/8"	9-1/4"	Mahogany
FULL LITE										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Mahogany
3'0"	8'0"	N/A	1-3/4 "	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Mahogany
FULL LITE OVAL										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	n	9-1/8"	Mahogany

Design-Pro Fiberglass Doors - Mahogany

Design-Pro Fiberglass Doors - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FLUSH										
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Oak
3'0"	8'0"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Oak
6-PANEL										
2'6"	6'8	6	1-3/4"	8-5/16"	4-3/8 "	4-3/8"	4-7/8"	6-1/2 "	9-1/4"	Oak
2'8, 2'10", 3'0"	6'8"	6	1-3/4"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Oak
3'0"	8'0"	6	1-3/4 "	9"	6-3/8 "	5"	4-7/8"	8"	12-5/8"	Oak
4-PANEL BLANK	TOP (W/ (CAMBER L	ITE OR SUNB	URST)						
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	20-1/4"; 4-7/8" w/cut out	6-1/2 "	9-1/4"	Oak
2-PANEL 1/2 LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	2	1-3/4"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5"	4-7/8"	6-3/8"	9-1/4"	Oak
4-PANEL FLAT										
3'0"	6'8"	4	1-3/4 "	9"	6-3/8"	5"	4-3/4"	6-1/2 "	9-1/4"	Oak
3-PANEL OVAL										
3'0"	6'8"	3	1-3/4"	10"	6-3/8"	3"	4-1/8"	3-1/2 "	7-3/8"	Oak
8-PANEL CENTER	ARCH									
3'0"	6'8"	8	1-3/4"	varies	6-3/8"	N/A	4-7/8"	N/A	8-3/4"	Oak
9-PANEL										
3'0"	6'8"	9	1-3/4 "	5-1/4", 8-1/2"	6-3/8 "	N/A	4-7/8"	N/A	8-1/8"	Oak
FULL LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak
2'6", 3'0"	8'0"	N/A	1-3/4"	N/A	4-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak
FULL LITE OVAL										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak

Design-Pro Fiberglass Sidelights

_	-		_							
Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak, Mahogany
1'0, 1'2"	8'0"	N/A	1-3/4"	N/A	1-3/8", 2-3/8" 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"	Oak, Mahogany
1-PANEL 3/4 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	9"	1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Oak, Mahogany
1-PANEL 1/2 LITE	1-PANEL 1/2 LITE									
10"*, 1'0", 1'2"	6'8"	1	1-3/4"	9"	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Oak
1'0", 1'2"	6'8"	1	1-3/4"	9"	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Mahogany

*10" Sidelights have an 8" opening and can only accommodate 7" glass



Smooth-Pro Fiberglass Doors

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FLUSH										
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4 "	N/A	N/A	N/A	N/A	N/A	N/A	Smooth
3'0"	8'0"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Smooth
3-PANEL 3/4 OVA	۱L									
3'0"	6'8"	3	1-3/4"	10"	6-3/8"	3"	4-1/8 "	3-1/2 "	7-3/8"	Smooth
4-PANEL BLANK	ТОР									
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
4-PANEL CAMBE	R TOP/SUI	NBURST								
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
6-PANEL										
2'6"	6'8"	6	1-3/4"	8-5/16"	4-3/8"	4-3/8"	4-7/8"	6-1/2 "	9-1/4"	Smooth
2'8", 2'10", 3'0"	6'8"	6	1-3/4"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
3'0"	8'0"	6	1-3/4"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"	Smooth
B-PANEL CENTER	ARCH									
3'0"	6'8"	8	1-3/4"	5",10"	6-3/8"	N/A	4-7/8"	N/A	8-3/4"	Smooth
9-PANEL										
3'0"	6'8"	9	1-3/4"	5-1/4",8-1/2"	6-3/8"	N/A	4-7/8"	2 "	8-1/8"	Smooth
2-PANEL 1/2 LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	2	1-3/4"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5"	4-7/8"	6-3/8"	9-1/4"	Smooth
1-PANEL 3/4 LITE										
3'0"	6'8"	1	1-3/4"	23"	6-3/8"	N/A	4-7/8"	5-1/2 "	9-1/8"	Smooth
4-PANEL FLAT										
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-3/4 "	6-1/2"	9-1/4"	Smooth
FULL LITE										
2'6"	6'8"	N/A	1-3/4"	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
2'6"	8'0"	N/A	1-3/4"	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
3'0"	8'0"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
ULL LITE OVAL										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth

Smooth-Pro Fiberglass Sidelights

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
10", 1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
1'0, 1'2"	8'0"	N/A	1-3/4"	N/A	1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
1-PANEL 3/4 LITE	1-PANEL 3/4 LITE MATCH (10-1/2 " PANEL HEIGHT)									
1'0", 1'2"	6'8"	1	1-3/4"	9"	1-3/8", 2-3/8"	N/A	4-7/8 "	N/A	9-1/8"	Smooth
3-PANEL MATCH	3-PANEL MATCH (16-1/2" PANEL HEIGHT)									
10", 1'0", 1'2"	6'8"	1	1-3/4 "	9"	1-3/8", 2-3/8"	N/A	4-1/8 "	N/A	7-3/8"	Smooth
6-PANEL MATCH										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/8", 9"	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/4"	Smooth

Steel Door	S									
Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
CONTOURS 2-		Н ТОР								
2'8", 3'0"	6'8"	2	1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
CONTOURS [™] 2-		ARE TOP								
2'8", 3'0"	6'8"	2	1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
CONTOURS [™] 2-		1			1					
2'8", 3'0"	6'8"	2	1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
CONTOURS 3-										
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8 "	3-1/2"	6-7/8"	Smooth
3'0"	6'8"	3	1-3/4"	23"	6-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8"	Smooth
CONTOURS [®] 2-			1 2/4	221	C 2/01	NA	2.2/4#	21	6.2/4#	Case a th
3'0" CONTOURS [™] 2-	6'8"	2	1-3/4"	23"	6-3/8"	NA	3-3/4 "	3"	6-3/4 "	Smooth
3'0"	6'8"	2	1-3/4"	9"	6-3/8"	4-3/4"	5-1/8 "	6-3/8"	9"	Smooth
CONTOURS [™] SL			1-5/4	9	0-5/6	4-5/4	J-1/0	0-5/6	9	SINOOLII
2'8"	6'8"	4	1-3/4"	9"	4-3/8"	4-3/4"	5-1/8 "	6-3/8"	9"	Smooth
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	4-3/4"	5-1/8"	6-3/8"	9"	Smooth
CONTOURS [™] 6-			1 3/4		0 5/0		5 1/0	0 3/0		Shiooth
2'6"	6'8"	6	1-3/4"	8-5/16"	4-3/8"	4-1/4"	5-1/8 "	6-3/8"	9"	Smooth
2'8"	6'8"	6	1-3/4"	9"	4-3/8"	4-3/4"	5-1/8"	6-3/8"	9"	Smooth
3'0"	6'8"	6	1-3/4"	9"	6-3/8"	4-3/4"	5-1/8"	6-3/8"	9"	Smooth
3'0"	8'0"	6	1-3/4"	9"	6-3/8"	5"	5-1/4"	8"	12-1/4"	Smooth
CONTOURS [™] 8-		_		-						
2'8"	6'8"	8	1-3/4"	23"	4-3/8"	NA	5-1/8 "	NA	8-1/2 "	Smooth
3'0"	6'8"	8	1-3/4"	23"	6-3/8"	NA	5-1/8"	NA	8-1/2 "	Smooth
CONTOURS [™] 9-	PANEL		· · · · · · · · · · · · · · · · · · ·							
2'8"	6'8"	9	1-3/4"	5-5/16"	4-3/8"	NA	5-1/8 "	NA	9"	Smooth
3'0"	6'8"	9	1-3/4"	5-5/16"	6-3/8"	NA	5-1/8"	NA	9"	Smooth
ENERGY SAVER	4-PANEL									
2'8"	6'8"	4	1-3/4"	9"	4-3/8"	4-7/8 "	6-1/4 "	8"	8-7/8 "	Smooth
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	4-7/8 "	6-1/4 "	8"	8-7/8 "	Smooth
ENERGY SAVER	6-PANEL									
3'0"	6'8"	6	1-3/4"	9"	6-3/8"	4-7/8"	5-1/8 "	6-3/8"	9"	Smooth
GLADIATOR [®] 3-	PANEL									
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8 "	Smooth
3'0"	6'8"	3	1-3/4"	23"	6-3/8"	3"	4-5/8 "	3-1/2"	6-7/8"	Smooth
GLADIATOR SU		1	1 1							
2'8"	6'8"	4	1-3/4 "	9"	4-3/8"	4-7/8"	3-3/4"	6-3/8"	9"	Smooth
3'0"	6'8"	4	1-3/4 "	9"	6-3/8"	4-7/8"	3-3/4"	6-3/8"	9"	Smooth
GLADIATOR 6-F					1					
2'6"	6'8"	6	1-3/4 "	8-5/16"	4-3/8"	4-1/4 "	5-1/8 "	6-3/8 "	9"	Smooth
2'8"	6'8"	6	1-3/4"	9"	4-3/8"	4-7/8"	5-1/8"	6-3/8"	9"	Smooth
3'0"	6'8"	6	1-3/4"	9"	6-3/8"	4-7/8"	5-1/8"	6-3/8"	9"	Smooth
GLADIATOR 9-F			4.2/48	E 4/48	4.2101		E (10 "		0."	C II
2'8"	6'8"	9	1-3/4"	5-1/4"	4-3/8"	NA	5-1/8"	NA	9"	Smooth
3'0"	6'8"	9	1-3/4"	5-1/4"	6-3/8 "	NA	5-1/8 "	NA	9"	Smooth
FINISHIELD 3-P		2	1 2/4#	22.	4.2/01	2	4 5/0 1	2 1/2 1	6 7/0 1	Toutume
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8"	3-1/2"	6-7/8"	Textured
	6'8"	3	1-3/4"	23"	6-3/8"	3	4-5/8 "	3-1/2 "	6-7/8 "	Textured
FINISHIELD SUN		4	1 2/4	9"	4.2/9"	4 7/0 "	2 2/4 "	6.2/0"	0"	Toytured
2'8" 3'0"	6'8" 6'8"	4	1-3/4" 1-3/4"	9"	4-3/8" 6-3/8"	4-7/8" 4-7/8"	3-3/4" 3-3/4"	6-3/8" 6-3/8"	9" 9"	Textured
FINISHIELD 6-PA		4	1-3/4	9	0-3/8	4-7/8	3-3/4	0-3/8	9	Textured
2'6"	-INEL 6'8"	6	1-3/4"	8-5/16"	4-3/8"	4-3/8"	5-1/8"	6-3/8"	9"	Textured
2'8"	6'8"	6	1-3/4	9"	4-3/8	4-3/8	5-1/8"	6-3/8	9"	Textured
3'0"	6'8"	6	1-3/4	9"	6-3/8"	4-7/8"	5-1/8"	6-3/8"	9"	Textured
FINISHIELD 8-PA			1-5/4	9	0-5/0	4-770	J-1/0	0-3/0	9	lextureu
2'8"	6'8"	8	1-3/4"	9"	4-3/8"	NA	5-1/8"	NA	8-1/2 "	Textured
3'0"	6'8"	8	1-3/4"	9"	6-3/8"	NA	5-1/8"	NA	8-1/2"	Textured
FINISHIELD 9-PA		0	1 3/4		0 3/0	14/4	5 1/0	1 1/7	0 1/2	lextureu
2'8"	-INEL 6'8"	9	1-3/4"	5-1/4"	4-3/8"	NA	5-1/8"	NA	9"	Textured
3'0"	6'8"	9	1-3/4"	5-1/4"	6-3/8"	NA	5-1/8"	NA	9"	Textured
5.0				5.71	0 3/0		5 1/5			ichtarea

Steel Sidelights

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
3/4 LITE 3-PANEL	MATCH									
1'0"	6'8"	1	1-3/4"	10"	1"	NA	5-1/8"	NA	6-7/8 "	Smooth or Textured
1'2"	6'8"	1	1-3/4"	10"	2 "	NA	5-1/8"	NA	6-7/8 "	Smooth or Textured
1/2 LITE 6-PANEL	MATCH									
1'0"	6'8"	1	1-3/4"	9"	1-1/2 "	NA	5-1/8"	6-3/8"	9"	Smooth or Textured
1'2"	6'8"	1	1-3/4"	9"	2-1/2 "	NA	5-1/8"	6-3/8"	9"	Smooth or Textured
FULL LITE SIDELIGHT										
1'0", 1'2"	6'8"	NA	1-3/4 "	8"	1-7/8", 2-7/8"	NA	4-7/8"	NA	9-1/8"	Smooth

SPECIFICATIONS

*All measurements are in inches unless noted. – *1" lock block offset required for 2'10" door. *Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

105

JELD-WEN® INTERIOR AND EXTERIOR DOOR

SLAB AND SYSTEM LIMITED WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN[®] Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **July 1, 2010** for use in the United States and Canada. Separate warranties apply for our garage door collections. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to **www.jeld-wen.com** or **www.jeld-wen.ca**.

What This Warranty COVERS

We warrant to the original owner² that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part.

Owner-Occupied Single-Family Residence Limited Warranty

Fiberglass Door Slabs: We warrant our fiberglass door slabs for as long as you own and occupy your residence.

Steel Door Slabs: We warrant our steel door slabs for **ten (10)** years from the date of initial purchase.

Wood Door Slabs: We warrant our wood door slabs for **five (5)** years from the date of initial purchase.

Interior Door Slabs: We warrant our interior door slabs for **five (5)** years from the date of initial purchase.

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Custom Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
Premium Wood Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast[®] Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood cellular structure failure (often referred to as "wood cellular breakdown") caused by decay and/or termites for twenty (20) years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood cellular structure failure caused by decay and/or termites for as long as the original consumer owns the home in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

Fiberglass, Steel, Wood and Interior Door Slabs: We warrant our door slabs for five (5) years from the date of initial purchase.

All Other Products, Components, Prefinishes, and Options as Listed Above: Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

Transferability

This warranty is not transferable.

How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the Unite	d States:
Mail:	JELD-WEN Customer Care Attn: Door Warranty Claims P.O. Box 1329, Klamath Falls, OR 97601
Phone:	800-JELD-WEN (800-535-3936)
Fax:	800-436-5954
Email:	CustomerServiceAgents@jeld-wen.com
In Eastern C	anada:
Mail:	JELD-WEN Service Department 90, rue Industrielle Saint-Appollinaire, Quebec, Canada GOS 2EO
Phone:	800-463-1930
Fax:	888-998-1599
In Western	Canada:
Mail:	JELD-WEN Service Department
	550 Munroe Avenue
	Winnipeg, Manitoba, Canada R2K 4H3
Phone:	888-945-5627
_	204-668-8230
Fax:	204-663-1072
Email:	wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If it is determined that the product does not have a defect covered by the warranty, we may charge an inspection fee for an on site inspection that is required or requested by you. If we determine that there is in fact a defect we will repair the product, ship a replacement product to the distributor or person making the claim in the same specification as the original product sold to the distributor, or refund the original purchase price paid to us. Replacement components/products are warranted for the balance of the original product warranty or 90 days, whichever is longer. This warranty gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to **twelve (12)** months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32* in width and/or 2* in length; for knotty alder and juniper: surface checks that are less than 1/8* in width and/or 5* in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood cellular structure failure for wood components other than
 of AuraLast pine and any components (including pine) that come
 in direct contact with soil. Note: superficial mold/mildew does not
 indicate wood cellular structure failure.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- · Damage or poor product performance resulting from installation

into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.

- Hardware or inserts that are not provided by us, such as locksets, door handles, strikes, etc.
- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/ province.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty.

¹"JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

² This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory pre-finish.

© 2010, JELD-WEN, inc. | JELD-WEN, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA.



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.



Official window, door and millwork provider of the PGA TOUR and Champions Tour





All JELD-WEN® door designs in this brochure feature ODL doorglass.

©2010 JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others.

JELD-WEN reserves the right to change product specifications without notice. Please check our website, jeld-wen.com, for current information.

10-568 06/10 (CDS 8M)



RELIABILITY for real life[®]

